

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|--|---|------------------|---------|---------------------|
| L1 | 4617 | (max\$4) near3 (delay or latenc \$2) and (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and ("370" or "455" or "709").clas. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/06/19 14:14 |
| S1 | 303965 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (time with delay) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/04 15:11 |
| S2 | 5295 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (sum with time with delay) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/04 15:11 |
| S3 | 5497 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (sum with time with (delay or latency)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/04 15:12 |
| S4 | 4 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (sum with time with (delay or latency) with grant\$5) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/04 15:13 |
| S5 | 823 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (sum with (time\$2 or period\$2 or interval\$2) with (delay or latency) with (ratio or divid\$5 or multipl\$5)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/04 15:14 |
| S6 | 110 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (sum with (time\$2 or period\$2 or interval\$2) with (delay or latency) with (ratio or divid\$5 or multipl\$5)) same (transmi\$5) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/04 15:16 |

| | | | | | | |
|-----|----|---|---|-----|-----|---------------------|
| S7 | 75 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (sum with (time\$2 or period\$2 or interval\$2) with (delay or latency) with (ratio or divid\$5 or multipl\$5)) and "370".clas. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/04 15:16 |
| S8 | 98 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (sum with (time\$2 or period\$2 or interval\$2) with (delay or latency) with (ratio or divid\$5 or multipl\$5)) and ("370" or "455").clas. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/04 15:19 |
| S9 | 34 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (sum with (time\$2 or period\$2 or interval\$2) with (delay or latency) with (ratio or divid\$5 or multipl\$5)) same (grant\$5 or transmi\$5) and ("370" or "455").clas. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/04 15:42 |
| S10 | 11 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and txop same (delay or latency) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/04 16:04 |
| S11 | 22 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (sum with (transmission near3 (right or period or grant\$5)) with delay) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/04 16:07 |
| S12 | 22 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (sum with (transmission near3 (right or period or grant\$5)) with (delay or latency)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/07 08:58 |

| | | | | | | |
|-----|-------|--|---|-----|-----|---------------------|
| S14 | 6 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (delay bound) and (msdu\$2 or mpdu\$2) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/04 18:08 |
| S15 | 1084 | 370/229.ccls. and (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/04 18:09 |
| S16 | 241 | 370/346.ccls. and (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/04 18:09 |
| S17 | 851 | 370/449.ccls. and (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/04 18:09 |
| S18 | 468 | 370/395.4.ccls. and (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/04 18:09 |
| S19 | 461 | 370/343.ccls. and (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/04 18:09 |
| S20 | 196 | 370/344.ccls. and (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/04 18:13 |
| S21 | 97 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and txop | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/04 18:15 |
| S22 | 15946 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (maximum or max) near4 delay | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/04 18:16 |

| | | | | | | |
|-----|------|--|---|-----|-----|---------------------|
| S23 | 84 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (maximum or max) near4 delay same (grant\$5) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/04 18:17 |
| S24 | 1 | ("20060171362").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/12/04 18:18 |
| S25 | 1198 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (delay with bound) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/07 10:07 |
| S26 | 560 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (delay near2 bound) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/07 10:08 |
| S27 | 13 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (delay near2 bound) and (msdu \$2) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/07 11:23 |
| S28 | 122 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and ((packet error rate) or per) same ((packet loss rate) or plr) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/07 10:23 |
| S29 | 90 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and ((packet error rate) or per) same ((packet loss rate) or plr) and (delay or (delay bound)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/07 10:24 |
| S30 | 7 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and ((packet error rate) or per) same ((packet loss rate) or plr) and (delay or (delay bound)) and log | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/07 11:48 |

| | | | | | | |
|-----|-------|---|---|-----|-----|---------------------|
| S31 | 4 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (txop with bound) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/07 11:44 |
| S32 | 1 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (((packet error rate) or per) same ((packet loss rate) or plr) and (delay or (delay bound))). ab. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/07 11:49 |
| S33 | 90 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (((packet error rate) or per) same ((packet loss rate) or plr) and (delay or (delay bound))) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/07 11:50 |
| S34 | 0 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (((packet error rate) or per) same ((packet loss rate) or plr) and (delay or (delay bound))) and txop | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/07 11:49 |
| S35 | 2 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (((packet error rate)) same ((packet loss rate) or plr) and (delay or (delay bound))) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2007/12/07 11:51 |
| S36 | 1 | ("5537414").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/06/09 12:05 |
| S37 | 670 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and (txop or transmission opportunit \$4) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/06/09 12:22 |
| S38 | 19628 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and ((max\$4 or largest) near4 (delay or latenc\$2)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/06/10 12:45 |

| | | | | | | |
|-----|-------|---|---|-----|-----|---------------------|
| S39 | 14161 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and ((max\$4 or largest) near2 (delay or latenc\$2)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/06/10 12:46 |
| S40 | 449 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and ((max\$4 or largest) near2 (delay or latenc\$2)) with (allocat \$5 or grant\$5 or assign\$5) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/06/10 12:47 |
| S41 | 423 | (@ad<="20021023" or @pd<="20021023" or @rlan<="20021023" or @rlad<="20021023" or @rlpn<="20021023") and ((max\$4 or largest) near2 (delay or latenc\$2)) same (time or period\$2 or bandwidth or timeslot\$2 or slot\$2 or txop or transmission opportunit\$4) near3 (allocat\$5 or grant\$5 or assign\$5) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/06/10 12:49 |
| S42 | 1 | ("20020120740").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/06/10 13:23 |

6/19/2008 2:15:33 PM

C:\Documents and Settings\kcehic\Desktop\apps\10532049\049.wsp